

9.2-channel AVENTAGE model with superior three-dimensional sound field playback and the latest, most advanced Surround:Al features.





























A New Frontier in Sound.

Discover the thrill of the most advanced cinematic surround sound in the home. Breakthrough Surround:Al technology analyses the scene of the entertainment content and optimises the surround effect in real time while you watch.





The Heart of the Smart Home.

State-of-the-art configuration options and unparalleled versatility satisfy the most demanding whole-of-home applications.



Intuitively Simple to Use.

Simple and straightforward operation, whether using specially designed compatible apps, intuitive on-board menu, or in conjunction with Amazon Alexa voice control devices.

- 9-channel powerful surround sound
- --- 140 W per channel (8 ohms, 20 Hz-20 kHz, 0.06% THD, 2-ch driven)
- --- 220 W per channel (8 ohms, 1 kHz, 10% THD, 1-ch driven)
- --- 220 W per channel (4 ohms, 1 kHz, 0.9% THD, 1-ch driven)
- Surround:Al automatically optimises the surround effect in real time
- Dolby Atmos[®] and DTS:X[™] with CINEMA DSP HD³
- YPAO™-R.S.C. with 3D, multi-point measurement and precision EQ
- Ability to add wireless surround speaker/s* (*MusicCast 20 or MusicCast 50)
- Amazon Alexa voice control compatibility* (*Availability varies by region) • Highly rigid construction including Anti Resonance Technology (A.R.T.) Wedge
- High quality parts for optimum performance

- Professional quality digital audio by ESS DAC
- MusicCast multi-room technology
- Music streaming services built-in
- HDMI® (7 in / 3 out) with Dolby Vision™ and Hybrid Log-Gamma
- Phono input for vinyl playback



The RX-A2080 offered with black and titanium finish available in some areas

RX-A2080



Your Cinema

Surround:Al

The AI technology built into the DSP analyses the scene of the entertainment content and then creates the optimal surround effect to reproduce it with the greatest effect. This AI instantaneously analyses scenes by focusing on distinct sound elements such as dialogue, background music,



ambient sounds and sound effects, and automatically optimises the surround effect in real time, just as if a Yamaha sound engineer tunes the best sound specifically for you. This creates a compelling sense of realism with expressive power beyond conventional sound field effects, giving you the most profound entertainment experience possible.

Thrilling Realism in Surround Sound

Dolby Atmos® and DTS-X™ Playback with CINEMA DSP HD³

This AV receiver supports Dolby Atmos and DTS-X playback with CINEMA DSP HD3, taking the surround sound experience to new heights. The revamped CINEMA DSP HD3 features new signal processing algorithms and three sets of high performance processors. This maximises theatre sound effects, accurately reproducing a new



dimension of realism for a sound field with a rich sense of presence and no feeling of boundaries. You will experience a realistic cinema sound field with the sense of truly being immersed in the movie scene.

For Sound Purity

Highly Rigid Construction

The AVENTAGE model RX-A2080 features a sleek, clean design, with an elegant aluminium front panel. Even more importantly, the unit is exceptionally sturdy, with an interior reinforced with cross members in an H-shape. It also features the Anti Resonance Technology (A.R.T.) Wedge, which is a fifth foot in the centre of the unit that dampens vibrations from the power transformer and elsewhere. Thanks to these, installation stability is improved and chassis resonance is dispersed, effectively eliminating external vibration, maintaining the highest audio quality



Optimum Performance

High Quality Parts

Every single part in an AV receiver affects the sound quality. For AVENTAGE models, extra time is taken to carefully select the most exacting, high-quality parts — including a large-capacity power amplifier unit with damping heat sink, a custom large power transformer, high-performance DSP devices, and so on — in order to achieve the highest performance possible. Moreover, sound technicians employ rigorous testing processes to optimally "tune" the receiver's sound.



Professional Grade

ESS SABRE™ PRO 9007S Premier DACs

Incorporating the SABRE 9007S Premier Audio DACs from ESS Technology to achieve an exceptionally good signal-to-noise ratio and up to 120 dB of dynamic range, this AV receiver produces professional quality digital audio.



Ideal Sound Optimisation

YPAO™ - R.S.C. with 3D, Multi-Point Measurement and Precision EQ

YPAO-R.S.C. (Reflected Sound Control) analyses the room acoustics with the included YPAO microphone to tune your system for the best sound in your unique room. It employs R.S.C. to correct early reflections for studio-quality surround sound. YPAO 3D provides automatic sound



parameter optimisation that maximises the 3D sound field effectiveness of CINEMA DSP HD3 as well as Dolby Atmos and DTS:X. Precision EQ calculation achieves the most natural room acoustics possible


RX-A2080



Free and Easy Placement

Wireless Surround Speakers

Combine this AV receiver with the MusicCast 50 or MusicCast 20 wireless streaming speaker and enjoy the amazing convenience of creating a home theatre with wireless rear speakers. What's more, you get stunningly realistic sound with a



clean, clutter-free setup. Easily turn your current living room into a special entertainment environment where you can fully enjoy movies and music.

Related Products

• MusicCast 50 • MusicCast 20 • MusicCast SUB 100

Multi-room Audio

MusicCast

MusicCast takes the headache out of multi-room audio. Simply connect all MusicCast devices to the same network and start sharing audio throughout the home. Take MusicCast for a test drive by downloading the free MusicCast app and using it demo mode.



A World of Music

Streaming Services

Explore a world of music with music streaming services* built-in. Syncing your playlists and song likes from your smart phone or computer to the RX-A2080, music streaming services make it impossibly easy to either listen to your faves or discover new music.

* Music streaming service availability varies by region.


















Easily Experience 11-channel Realism

Virtual Speaker Technology

The RX-A2080 is equipped with three Yamaha original high performance DSP devices, achieving high speed and large capacity audio signal processing. As a result. CINEMA DSP HD3 playback can reproduce up to 11-channel sound — on even a 7-channel system. The total reproduction of spatial data, including the vertical axis, helps create an overwhelmingly realistic sound field.




* Requires connection to a front presence speaker. Dolby Atmos and DTS: X signals cannot be used with these virtual features.

Convenient Enjoyment

Three HDMI Outputs

Since the RX-A2080 has three HDMI output terminals, simultaneous connection to the TV, LCD projector and other devices, is possible. Which means, for example, that you can use your TV as usual but use the projector for your favourite movies and special programming, or have the same main



room content shown in other rooms as well — easily and without having to change any connections. Naturally, the built-in HDMI functionality is of the latest specifications, corresponding also to HDR (Dolby Vision Compatible, Hybrid Log-Gamma), 4K / 60p passthrough, 4K upscaling, and so on.

The Joys of Vintage Vinyl

Phono Input

This AV receiver provides phono input terminals, letting you connect a turntable and enjoy music from your vinyl collection.



Enhanced Home Theatre Sound

7.2-channel Pre-outs

You can add an external power amplifier (pre-main amplifier) to this AV receiver to improve and enhance the sound of your speakers. For example, using a power amplifier to drive the important front channel in home theatre gives you the added flexibility of building a system with an emphasis on sound quality



Enjoy Digital Radio

DAB/DAB+ Tuner

Digital Audio Broadcasting capability, with DAB and the enhanced DAB+, offers a large selection of radio stations with high sound quality. Other





benefits include automatic selection of available stations from a convenient list, and helpful information display, including station name and music genre. * Availability of DAB / DAB+ tuner function varies by region.

RX-A2080



Let's Talk

Alexa on MusicCast

"Alexa, ask MusicCast to play Favourite 1 in the Kitchen." With Alexa voice control integration, all you have to do is ask. The RX-A2080 name offers full compatibility with Amazon's range of voice control devices. Welcome to the smart home.



* Availability of voice command control via Amazon Alexa varies by region.

Easy Operation, Detailed Settings

AV Controller App

This easy-to-use app lets you conveniently and 'smartly' control your AV receiver's power, volume, input selections, DSP modes — and much, much more — from an iOS or AndroidTM device. You can also use as many as 23



different languages and customise the interface by hiding unused icons and renaming functions. A tablet version is also available.

Easy to Use and Multilingual

Advanced Graphical User Interface

The latest graphical user interface from Yamaha has a high-resolution display with clear, easy-to-use menus and includes a selectable status bar that shows input source, volume level, DSP mode and audio format. The GUI provides a choice of eight languages: English, French, German, Spanish,



Italian, Russian, Japanese and Chinese and can be displayed over both normal and 3D pictures.

Playback in Multiple Zones

Multi-zone Function (Zone2)

You can transmit the video or audio content (not only HDMI input, but also other audio sources, such as digital or analogue audio, network content and FM/DAB radio) to a TV or home theater system in another room (Zone 2/4). This lets you enjoy viewing and listening to the same main room



content (where the AV receiver is installed), or even different content. An on-screen graphical user interface makes it easy to browse and select content from the second zone no matter what is being played in the main zone.

Other Features

• Bi-amp Connection Even Higher Quality Sound

This AV receiver features bi-amping capability, driving the treble and bass ranges of the front speakers (L, R) with independent amplifiers, making it possible to enjoy even higher quality sound from the front channels — an important consideration in home theatre setups.

• Music Enhancer Brilliant and Lively

The Compressed Music Enhancer from Yamaha is now optimised for Bluetooth audio transmissions to ensure that your music will have vivid, energetic sound quality during wireless playback.

• AV Setup Guide Install with Ease

This special app assists you with cable connections between the AV receiver and source devices. Additionally, it guides you through various settings such as speaker connections, TV and source device connections and power amplifier assignments.

• Eco Mode Save Energy by 20%

When ECO Mode is turned on it can reduce power consumption by about 20 percent*, thanks to an advanced energy saving design. *Compared to power consumption when ECO mode is off (Yamaha measurement).



	a	
Amplifier Section	Channel	9.2
	Rated Output Power (1kHz, 1ch driven)	220 W (4 ohms, 0.9% THD)
	Rated Output Power (20Hz-20kHz, 2ch driven)	140 W (8 ohms, 0.06% THD)
	Maximum Effective Output Power (1kHz, 1ch driven)(JEITA)	220 W (8 ohms, 10% THD)
	Dynamic Power per Channel (8/6/4/2 ohms)	165 / 210 / 285 / 405 W
Surround Sound Processing	Surround:Al	Yes
	CINEMA DSP	Yes (HD3)
	DSP Programs	24
	Dialog Level Adjustment	Yes
	Virtual Presence Speaker	Yes
	Virtual Surround Back Speaker	Yes
	Dialogue Lift	Yes (no presence speakers required)
	SILENT CINEMA / Virtual CINEMA DSP	Yes (Virtual CINEMA FRONT)
	Dolby Atmos	Yes
	Dolby TrueHD	Yes
	Dolby Digital Plus	Yes
	Dolby Surround	Yes
	DTS:X	Yes
Audio Fostures	DTS-HD Master Audio	Yes
Audio Features	File Format	MP3 / WMA / MPEG-4 AAC: up to 48 kHz / 16-bit, ALAC: up to 96 kHz / 24-bit, FLAC: up to 192 kHz / 24-bit, WAV / AIFF: up to 192 kHz / 24-bit
	Pure Direct	Yes (with video on mode)
	Compressed Music Enhancer	Yes
	High-resolution Music Enhancer	Yes
	YPAO multi-point measurement	Yes with R.S.C. (Reflected Sound Control), 3D, 64-bit High Precision EQ Calculation and Angle Measurement
	YPAO Volume	Yes
	Adaptive DRC (Dynamic Range Control)	Yes
	Initial Volume & Maximum Volume Setting	Yes
	A.R.T. Wedge	Yes
	Bi-amp capability	Yes
	Audio Delay	Yes (0-500 ms)
	DA Converter	ESS 384 kHz / 32-bit SABRE Premier DAC ES9007S x 2
Video Features	4K Ultra HD Pass-through and upscaling	Yes (4K / 60p, 4:4:4)
	HDMI 3D passthrough	Yes
	HDMI eARC	Yes (via future firmware update)
	HDMI Audio Return Channel	Yes
	HDMI upscaling	Yes (Analogue to HDMI® / HDMI to HDMI)
	Video adjustment	Yes
	Deep Color/x.v.Color/24Hz Refresh Rate / Auto Lip-Sync	Yes
	Auto Lip-Sylic	



Connectivity	MusicCast Surround	Yes
	HDMI Input/Output	7 / 3 (HDCP2.2, HDR10 / Dolby Vision / HLG and BT.2020 compatible)
	HDMI CEC	Yes (SCENE, Device Control)
	USB Input	USB Memory, Portable Audio Player
	Network Port	Yes
	Wi-Fi	Yes (2.4 / 5 GHz)
	AirPlay	Yes
	Bluetooth	Yes (SBC / AAC)
	Front AV Input	USB / Analogue Audio
	Digital Audio Input/Output: Optical	3/0
	Digital Audio Input/Output: Coaxial	3/0
	Analog Audio Input/Output	9 (front 1) / 0
	Phono Input	Yes
	Component Video Input/Output	2/0
	Composite Video Input/Output	4/0
	Preout	7.2-ch
	Headphone Output	1
Tuner Section	FM/AM Tuner	Yes (FM only)
	DAB Tuner	Yes (Availability varies by region.)
User Interface	On-screen display	Graphical User Inter face
	SCENE	SCENE PLUS (8 sets)
	App Control	Yes (iPhone / iPad / Android phone / tablet)
	Web Browser Control	Yes
	Remote Control Unit	Yes (Preset)
Zone Control	Zone 2 Audio Output	Preout / HDMI
	Zone 3 Audio Output	Preout
	Zone 4 Audio Output	HDMI
	Powered Zone	Zone 2 / 3
	Zone Video Output	HDMI / Component / Composite
	Zone HDMI	Yes (Advanced HDMI Zone Switching)
	Zone B Output	HDMI
	Zone GUI	Yes
	RS-232C Interface	Yes
	+12V Trigger Output	2
	Remote (IR) Input/Output	1/1
	Party Mode	Yes
General	Standby Power Consumption (IR only)	≤0.1W
	Auto Power Standby	Yes
	ECO mode	Yes
	Dimensions (W x H x D)	435 x 192 x 474 mm (with antenna up: 435 x 269 x 474 mm); 17-1/8" x 7-1/2" x 18-5/8" (with antenna up: 17-1/8" x 10-1/4" x 18-5/8")
	Weight	17 kg; 37.5 lbs.